

Notice of Allowability

Application No.

10/670,105

Examiner

MLouisa Lao, Ph.D.

Applicant(s)

DRENT ET AL.

Art Unit

1621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to reply mailed 4/2/07.
2. ☒ The allowed claim(s) is/are 1,2 and 7-20.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date See Continuation Sheet
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 5/17/07.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance


JOHANN RICHTER
SUPERVISORY PATENT EXAMINER
GROUP 1200

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 9/24/03 1/9/04 9/21/06.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Donald F. Haas on 5/17/07.

The application has been amended as follows:

IN THE CLAIMS:

Claim 1. Please insert the phrase "which contains 5 to 6 carbon atoms" after the word "group" in the second to the last line.

Claims 5 and 6 are cancelled.

2. The following is an examiner's statement of reasons for allowance: the claims, as amended are unobvious based on the cited prior art reference, WO 02/064250, as exemplified by a showing of unexpected results in Table 1 in page 21 of the instant specification. Therein, Applicants presented a comparative performance of the smaller group of ligands (i.e. cycloalkene) (Example 8) relative to cycloalkanes (Example D). Applicants have deftly pointed out through this comparison that those ligands of the cycloalkene moiety show higher amount of alkanol product relative to those ligands of the cycloalkane moiety (based on highly similar structures); where the difference between the two groups is the cycloalkene bridging group, which is connected to each phosphorus atom by a sp^2 hybridized carbon atom.

Art Unit: 1621

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MLouisa Lao, Ph.D. whose telephone number is 571-272-9930. The examiner can normally be reached on Mondays to Fridays from 8:30am to 5:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Johann Richter, *Esq.*, can be reached on 571-272-0646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

`mll 05222007
MLouisa Lao
Examiner
Art Unit 1621


JOHANN RICHTER
SUPERVISORY PATENT EXAMINER
TC1600 GAU 1621